

FIG. 2

$\overline{}$	
AB	201d
-	s/\052
AA	So project
	C:\\lanRawles\\Projects\\CBM\\\atestthomas2 C:\\lanRawles\\Projects\\CBM\\\atestthomas2\\projects\\\052201d
Z	C:\\lanRawles\\Projects\\CBM\\latestthomas2 C:\\lanRawles\\Projects\\CBM\\latestthomas2 C:\\lanRawles\\Projects\\CBM\\latestthomas2
$\vdash$	CBM     CBM
≻	rojects)
	wles\\F wles\\F wles\\F
×	Van Rai Van Rai Van Rai
H	်ပ် <b>ပ်</b> ပ်
≥	
Ш	- 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

FIG. 2A

ime	13:21 13:03 13:07 13:08		
Date & Time	16:05:01 16:05:01 16:05:01 16:05:01		
Type	Microsoft Excel-Tab Microsoft Excel-Tab Microsoft Excel-Tab Microsoft Excel-Tab		
Size	550KB 550KB 550KB 550KB		
Name	☐1 ☐CBM.xls ☐CBM.Reports.xls ☐CBM.transfer.xls		
<u>a</u>			_
☐ Desktop	☐ My Computer ☐ Diskette A ☐(C:)	☐ Data ☐ Recycler ☐ Tmm_XXXX ☐ CBA Calculator ☐ CTM ☐ COO ☐ Pricing ☐ Sales Training ☐ Sales Training ☐ Sales Training ☐ Test 2001-05-16-01 ☐ Test 2 ☐ Test 2 ☐ Test 3 ☐ Test 4 ☐ So ☐ SIPLACE CEMARCHIVE	

FIG. 3

	18:30   22:00   22:00
SHET 2  SHIFT 2  SHIFT 2  SHIFT 2  SHIFT 3  Start end end start end end end start end end start end end end end end start end end end end end start end	
SHIFT 2  SHIFT 2  Start end 20:00 21	18:30
SHIFT 2  SHIFT 2  Start end 20:00 21	18:30
SHET 2  Start  S	18:30
C   C   C   C   C   C   C   C   C   C	_
$H = \begin{bmatrix} 0 \\ -1 \end{bmatrix}$	00 00 00 00 00 00 00 00 00 00 00 00 00
O	16:15
	16:00
	•
	14:00
Shift 8 155 155 155 155 155 155 155 155 155 1	14:00
A Dreak 23 23 23 25 25 25 25 25 25 25 25 25 25 25 25 25	
5 preak 2 3:00 0 13:00	
	10:30
H <b>L</b>	00:01
	8:15 -
	8:00 10:00
	00:9
Shift start   Sh	_
D	≥∓
Onlines see e e e e e e e e e e e e e e e e	
Shift Schedule Shift Schedule londay lesday lednesday intrody	
day for sear week week week week week week week wee	
Shift Schedu  Shift Schedu  Monday Tuesday Wednesday Thursday Friday Saturday Saturday Shifts apply for model initial Offset Only lunch break applies Breaks apply for machines Weeks apply for machines Weeks apply for machines Hours per year Hours per week Hours per week/average Hours per week/average	
- 7 845000000000000000000000000000000000000	300

FIG. 4

									_		_	_
)	23:00		23:00	·								
⊢	23:00		23:00					*******				
S		3:15										
Ж		3:00										
O	21:00	0:30	21:00									
Ф	20:00											
0		20:15										
N		20:00										
M	i	19:30										
	15:00	19:30	15:00								,	
¥		15:15										
7		15:00										
_		12:30										
Ŧ		12:00										
5		8:15										
止	1	8:00										
ш	7:00	7:00	7:00									
Q	12	5	14	15	16	17	9	6	8	72	22	23
ပ												
$\vdash$	1											
В												
۲	L			_	_	_			_	_	_	_
$L^{T}$	સ	8	33	34	ည်	38	37	88	ဇ္ဌ	8	4	42

FIG. 4A

FIG. 4B

AO		
AN		
AM		
AL		
AK		
AC AD AE AF AG AH AI AJ AK AL AM AN		
Al		
AH		
AG		
AF		
AE		
AD	omer 1 omer 3 omer 4	
AC	7:00 → Customer 1 → Customer 3 7:00 → Customer 3 → Customer 4	
AB	7:00	
AA		
Z		
>	5:00	
×	4:00	
≥		
>		
H	2000	14

FIG. 4C

			72 31		_
တ			maintenan qu IMTRM	4080 4080 4080	
_				<del>†    </del>	
$\blacksquare$			month		
Ø			MTRM	689 89	
_			į.	7	
Н			grafic		
			×	500	
2			failure (h/min) level 1		
×			lure (F		
	Main			<del></del>	
	Σ		A P	-144	
			maintenance (h/min) shift week		
Н	ase		anance (	<del>"                                     </del>	
7	Database		ainter ft MTT		
	Da		2		
H			AT M	<del></del>	
	ete		s(min/ in)		
G	Delete		assists(min/ min)		
$\prod$		in page	ort sys		
Ш	Insert	the Ma	transport system S/D- synch		
	Ĕ	Return to the Main page	# of process cells		
H				4	
	_				
S	atio				
	gura			1060	
	Jufi			nveyor	
B	Line Configuration			7300 Buffer 7511 Conveyor 1060	
Н	Line		insert row delete row		
H				- 6 0 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	4
				The state of the s	

FIG. 5

FIG. 5A




FIG. 5C

FIG. 6

н		maintenan	mo MTBM	880.00 880.00 880.00 880.00 880.00 880.00 880.00 880.00 880.00 880.00 880.00 880.00 880.00 880.00 880.00 880.00	000 000 000 000 000 000 000 000 000 00	888	880.00 80.00 80.00
Ø			M		ωω.		,
۵			MTBM MI	1832 1832 1832 1832 1832 1832 1832 1832	5.25 5.20 5.20 5.20 5.20 5.20	28.58 28.58 28.58 28.58	3.88.88 2.82 3.82 5.82 5.83 5.83 5.83 5.83 5.83 5.83 5.83 5.83
0			ITTM				
z			Shift MTBM				
Σ			2 TTR	V			
ᅐ		min)	TR MTBF M				
7		failure (h / min	level 2 MTBF MT1				:
		<b>—</b>	level 1 TBF MTTR				
D E			min) TR MTB		<b>-</b>		
L.			assists (min / MTBF MT		88	888	3888
Ш			SS		00	000	000-
						<del></del>	
Δ	_ine						
၁	בֿ				-0	<del></del>	
В				-an4rovee5+554754	7580 7300	7511 7521	25 15 10 10 10 10 10 10
			Se				
 			Jarabase				
			Da		Bare Board Loader Buffer	or 1060 or 1590	or 5380 or 530 or 790
			1 1				Conveyor 2380 Conveyor 530 Conveyor 790 F4
		0	1 KO Z	voo	2007	282	337 32 32 32 32

FIG. 7

	000000000000000000000000000000000000000
Я	00000000000000000000000000000000000000
Ø	
Ь	220 220 220 220 220 220 220 220 220 220
0	
$\vdash$	
M	25004 8 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
X	
F	
Ω	
ட	ම් විසිති සිට සිට සිට සිට සිට සිට සිට සිට සිට සි
	0m-0m00460000000
၁	
В	1043 1043 1050 1050 1050 1050 1050 1050 1050 105
	ontro
	on trol
A	SPL SPL SPL SPL SPL SPL SPL SPL SPL SPL
	SPL SPL SPL SPL SPL SPL SPL SPL x 3/SPL tr ine Buffer MB50 ine Loader ML05 ine Unloader MU05 ine Unloa
	Stopped
$\vdash$	
Ш	8 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6

FIG. 7A

E	888888888888888888888888888888888888888
_	\$25.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.
O	
-	। ୟୟର୍ଷ୍ଟ୍ର୍ୟ୍ୟୁସ୍ଟ୍ର୍ୟୁସ୍ଟ୍ର୍ୟୁସ୍ଟ୍ର୍ୟୁସ୍ଟ୍ର୍ୟୁସ୍ଟ୍ର୍ୟୁସ୍ଟ୍ର୍ୟୁସ୍ଟ୍ର୍ୟୁସ୍ଟ୍ର୍ୟୁସ୍ଟ୍ର୍ୟୁସ୍ଟ୍ର୍ୟୁସ୍ଟ୍ର୍ୟୁସ୍ଟ୍ର୍ୟୁ
	<u>සසසස සසස සසස සසස සසස ස</u> සස ස
6	
L	
z	
F	
Σ	
A	
F	
$\vdash$	
E	
-	<del></del>
Ø	
	S S S S S S S S S S S S S S S S S S S
Ш	UW-UWOU46000000
ပ	
$\vdash$	₩₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽
В	25000000000000000000000000000000000000
	ntro
	0 dd
	MWU05000 con telephone tel
4	PL PL n 180 n 180 n 180 loader ML02 Loader ML03 Unloader ML03 Unloader MU03 Unloader M
	lane T S C C C C C C C C C C C C C C C C C C
	Squege Sq
	F4 x 2 / SPL F5 x 3 / SPL F1 Station 180 HS-50 x 3 / SPL Last Lift Magazine Buffer MB100 Magazine Unloader MU05 Magazine Unloader MU05 Magazine Unloader MU05 Printer pro-flow temp control Printer pro-flow temp control Printer squegee operation temp control Printer squegee operation temp control RX 261 RX 331 RX 331 RX 332 RX 412 S-20 S-25 Shuttle - 1 lane to 2 lane Shuttle - 2 lane to 1 lane Telescopic Gate TG
-	80000000000000000000000000000000000000
Ь	

FIG. 7B

_	_										_																								,							
æ		980	680 00		000.00	86	8000	0000	9000	680 00	2000	80.08	680.00	00 00	000	20.00	00.089	680 00	00000	0000	680.00		880.00	680.00	0000	000.00	86 80 90 90 90 90	680.00	80000	000.00	86	980.00	680,00	680 00		86.58 86.58	90.08	680.00		990.00	80.00 80.00	080.00
Ø																																										
۵		163.20	163.20		25.60	163.20	163.20	22.50	163.20	163 20	200	163.20	163.20	162.20	36	02.00	163.20	163.20	162.00	100.40	163.20		103.20	163.20	160 20	02.00	163.20	163.20	162.00	200	163.20	103.20	163.20	163 20		103.20	163.20	163.20		163.20	163.20	163.20
0																																										
z																																										
Σ																																										
ᅩ																																										
H																																										
5																																										
F																																										
H																																										
D																																										
_																																										
0																																										
В																																										
A																																										
	Ş	ည	2	7	=	72	7	2	74	75	1	9	7	ά	2	2	8	ž	S	ğ	83	ò	9	82	ő	8	87	88	ő	38	3	ກ	35	8	3 3	94 24	92	9	3	8	တ္တ	66

FIG. 7C

_																		
AH																		:
AG																		
AF																		
														88	88	88	25	38
AE														CA+-	-	<del>, ,</del>	<b>T</b>	- 2
		Γ		]														
AD			inbound routing			<u> </u>								Printermc	con5_2001	con5_2001	con5_2001	cons_2001 Conveyor001
AC		witness	module dual lane														Conv1_2	
$\vdash$														je	පි	රිවි	888	38
AB		witness	module single lane											BareBoard_Loader	onv2_1	Conv3_1	onv1	S25 L1
AA			set e											<u> </u>	30	OC.	000	၁တ
/ Z		grafic	high leyel length offset															
≺		.0	ed offset	000	00	00	000	0	00	0	00	00	000	00	00	0	00	00
×		grafic	detailed length offset											200	150	200	150	202
×			TM															
			. =											]	. –			
>			MTBM W	8160.00 8160.00 8160.00	8160.0C	86.00 90.00 90.00	200 200 200 200 200 200 200 200 200 200	8160.0C	8160.00	8160.00	8160.0C 8160.0C	8160.00 8160.00	8160.00 8160.00	8160.00	86.00	8160.0C	8160.00 100.00 100.00	8160.00 8160.00
ח			erly MTTM															
⊢			quarteri MTBM M	4080.00 4080.00 4080.00	4080.00	4080.00 0.00 0.00	4080 90.080 00.080	4080.00 4080.00	4080.00	4080.00	4080.00 4080.00	4080.00 4080.00	4080.00	4080.00 1080.00 1080.00	1080.00	4080.00	4080.00	1080.00 1080.00
S		e(h/min)	thly MTTM		- 1			- 7	7 7		7 7	7 7	7 7	7	4	7	7	7
	-	N		700	ωσ	<b> </b>	-29	<u> </u>	15	4	<u> </u>	212	2222	255	27	28 28		32

FIG. 70

АН	
AG	
Ц	
AF	
Н	25000000000000000000000000000000000000
AE	
Ц	
AD	Lift1 B1 B1 B1 B1 B1 B1 B1 Printermc Printermc Printermc Printermc Printermc Printermc Printermc Printermc Printermc Oven_2001 Oven_2001 Oven_2001 Oven_2001 Conveyor001 Conve
AC	\$25Cluster2 \$25Cluster3 \$25 \$25Cluster3 \$2
AB	S25Cluster2 L1 S2 S25Cluster3_L1 S2 S25_L1 S2 S25_L1 S2 S25Cluster3_L1 S2 S25Cluster3_L1 S2 S25Cluster3_L1 S2 Flip_Station HS5CLL HS5CLUSTER3_L HS HS5CLUSTER3_L HS HS5CLUSTER3_L HS HS5CLUSTER3_L HS Magazine_Loader5 Magazine_Loader5 Magazine_Unloader5 Magazine_Unloader5 Printer Printer Printer Oven_1Lane Ov Oven_1Lane Ov Oven_1Lane Ov Oven_1Lane Ov Oven_1Lane Ov Oven_1Lane Ov Oven_1Lane Ov Oven_1Lane Ov S25_L1 S2 S25_L1 S2
AA	
Z	
Υ	000000000000000000000000000000000000000
×	200 000 000 000 000 000 000 000 000 000
≥	
^	######################################
U	
T	4080.00 4080.00
S	
	88888888888888888888888888888888888888

## FIG. 7F

АН																												
AG																												
A																												
AF																												
H																												
AE																												
AD																												
AC																												
AB																												
AA																												
Z																												
×																												
8																												
>	8160.00 8160.00	160.00	160.00	160.00	160.00	160.00	90.6	160.00	160.00	1160.00	160.00	1160.00	1160.00	160.00	1160.00	160.00	160.00	160.00	160.00	900	160.00	160.00	1160.00	1160.00	1160.00	1160.00	1160.00	160.00
  -	ωα	- ∞	ω	Φ	ω.	∞	ωα	, ∞	, ω	∞	∞	80	Φ,	Φ	ω	σ	ω	ω	ω	ωα	, 00	, σο	- σο	· ∞	σ	∞	80	8
-	4080.00 4080.00	1080.00	1080.00	1080.00	080.00	080.00	00.080	1080.00	1080.00	1080.00	1080.00	1080.00	1080.00	1080.00	1080.00	1080.00	1080.00	1080.00	1080.00	0000	080.00	1080.00	1080.00	1080.00	1080.00	1080.00	1080.00	080.00
S	44	4	4	4	4	4	44	4	4	4	4	4	4	4	4	4	4	4	4	44	4	4	4	4	4	4	4	4
H	900	1	72	73	4	72	9	180	2	8	<u>~</u>	82	83	84	85	98	87	88	68	315	6	8	8 8	52	96	97	86	6

FIG. 7F




FIG. 8

γ		21											666 6	999
													666	66 66
×		20												
Μ		19											666	666
^		18											666	66
													666	666
n	-	17												
⊢		16											666	8
S		15											666	66 66
3) —		1											666	£
В		14											6	හි
Ö		13											666	66 66
										i			666	666
Д.		12												_,
0		1											666	66 66
-		0											666	66 66
Z	-		3	4	2	c	_	∞	പ	₽   	=	12	13	4
					1	_	ئــــــــــــــــــــــــــــــــــــــ			-	-	T-	Τ	ļ

FIG. 8A

AH		30											999 999
AG		29											666 666
AF		28											666 666
AE		27											666 666
AD		26											666 666
AC		25											666 666
AB		24											666 666
AA		23											666 666
Z		22											666 666
	<b></b>	7	က (၃)	4	2	9	7	ω	6	10	Ħ	12	13

FIG. 8B




FIG. 9




FIG. 9A




FIG. 9B




FIG. 10

Boundaries   Test1   Soundaries   31/March 2001   31/March 2001   5   5   5   5   5   5   5   5   5	E F G				ZieW									
aries  Test1 31/March 2001  Test1 31/Morch 2001  default  (in/Out)  aar/spm)	D				00	0.00%	0	000	0.00	l	000 000 000	<u>00</u>		
aries  (In/Out)  par/spm)  n)	0		<del></del>	1 1										
aries  It) put) (In/Out) ar/spm)	В		Test1 31/March 200	default										
70040000000000000000000000000000000000	A	Boundaries	ರ		Financial Currency (Input)	Currency (Culpur) Exchang ratio (In/Out) Depreciation	Labor	Operator Supervisor	Maintenance Rework	Utilities	floorspace (/year/spm) electricity (kWh)	Nitrogen (???) air (???)		

FIG. 11




FIG. 12




FIG. 13

	A	В	ပ		ш	L	<b>5</b>	H	
-	Maintenance		minutes	# of workers	who does maint.	downtime factor	line operator (h)	maint. team (h)	downtime (h)
7				0					
က					•	100%	0.00	0.00	#DIV/0i
4 14					•	100%	0.00	0.00	#DIV/0i
ok					7	100%	#DIV/0i	#DIV/0i	#DIV/0i
٥					က	100%	0.00	0.0	#DIV/0i
_		10,000			လ	100%	0.00	0.00	#DIV/0i
∞							#DIV/0i	#DIV/0i	
6	labor costs						#DIV/0i	#DIV/0!	0
9									
=	maintenance costs per year							#DIV/0i	0.000000 ∈
12									
13									
14									
15									
16									
17									
<del>2</del>									
19									
20						Mois			
21						Mal			
S									

FIG. 14

B   C   D   E   F   H   1   J   J	П		0:	83.56 NV/0! NV/0! NV/0!				
B   C   D   E   F   H   I   J	쏘		ar 0. #DIV/0! #DIV/0! #DIV/0!	83.5 #DIV/0! #DIV/0! #DIV/0!				
B   C   D   E   F   F   F   F   F   F   F   F   F	Ŋ		available per y I setup nance al availability otal	boards per hour boards per shift boards per week boards per year			Main	
B   C   D   E   F   F   F   F   F   F   F   F   F					- market and a second			
B   C   D   E   F   F   F   F   F   F   F   F   F	T	%	#####	####	#####	####	######	
B   C   D   E	ш	oard	0	0	0	0	0	0
B   C   D   E	F	Sost per b	#DIV/0!	#DIV/0!	#DIV/0i	i0/\/IQ#	#DIV/0i	#DIV/0i
sqm sqm kw cbm/h NI/min	E		0000	000	000	00000	000	0
	D	Cost per ye	0000				iO/NIG#	#DIV/0i
	0		<u> </u>			sqm kw cbm/h NI/min		
St of Ownership stment stment stment eparts fee rations arvisor rations frenance ricity gen ricity gen rick costs per year stoosts per year stoosts per year stoosts per year	В							
St of Ownersh stment stment eparts fee parts fee parts fee fee rations arvisor rations arvisor fricity gen fith costs per year 3 costs per year 5 costs per year		i i						
Service Servic	A	Cost of Ownership	Investment investment spareparts service	<b>Labor</b> Operations Supervisor	<b>Misc.</b> Setup Maintenance	<b>Utilities</b> Floorspace Electricity Nitrogen Air	25 <b>Quality</b> 26 rework costs per year 27 scrap costs per year 28 29	30 31 Costs per year

FIG. 15




FIG. 16







FIG. 16A





			CBM			
PROCESSES	CONSULTATIVE SALES	SYSTEM DESIGN OPTIMIZATION	EQUIPMENT CERTIFICATION		KNOWLEDGE MANAGEMENT	
SOFTWARE TOOLS	MODELING SIMULATION		MONITORING	DECISION SUPPORT	RUN-TIME PERFORMANCE OPTIMIZATION	AUTOMATED CONTROL
CONTRACT BASIS	PERFORMANCE METRIC(S)			FINANCIAL		FIG. 19
TARGET DOMAIN	CB-ASSEMBLY					







FIG. 2






FIG. 23









FIG. 24














FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36